MATHEMATICS

1.								
	$(1) - \frac{13}{2}$	(2) 11	(3) 5	(4) 4				
2.	of packets containing	no defective blades in a	stock of 10000 packets i					
	(1) 2000	(2) 9802	(3) 9950	(4) 8000				
3.	Two variable have le between <i>x</i> and <i>y</i> is	ast square regression li		6x + y = 31, then correlation				
	$(1) \ 0.5$	$(2) \ 0.7$	(3) - 0.7	(4) - 0.5				
4.	_	rst half of its journey w f the car for the whole jo		t half with a velocity v_2 . Then				
	$(1) \ \frac{v_1 + v_2}{2}$	$(2) \sqrt{v_1 v_2}$	$(3) \ \frac{2v_1v_2}{v_1 + v_2}$	(4) none of these				
5.	The mean of first n na	utural numbers is equal	to $\frac{n+7}{3}$, then 'n' is equa	l to				
	(1) 9	(2) 10	(3) 11	(4) 12				
6.	The least integral value	ue of k for which $(k-2)$:	$x^2 + k + 8x + 4 > 0$ for all	$x \in R$, is				
	(1) 5	ue of k for which $(k-2)$: (2) 4	(3) 3	(4) 6				
7.	If for $n \in \mathbb{N}$, $\sum_{K=0}^{2n} (-1)^K$	$\binom{2n}{K}$ = A , then the vale	ue of $\sum (-1)^K (K-2n) \left[\left(\right. \right.$	$\begin{bmatrix} 2n \\ K \end{bmatrix}^2$ is				
	(1) nA	(2) $-nA$	(3) 0	(4) A				
8.	Solution set of inequa	lity $\log_3(x+2)(x+4) + \log_3(x+2)$	$\log_{\frac{1}{2}}(x+2) < \frac{1}{2}\log_{\sqrt{3}} 7 \text{ is}$					
	(1)(-2,-1)	(2)(-2,3)	(3) (-1, 3)	$(4) (3, \infty)$				
9.	If three positive real r	number a , b , c ($c > a$) are		$+\log(a-2b+c)$ is				
10.	(1) 1	hin the lines $ x + y =$ (2) 2	(3) 3	(4) 4				
11.	A polygon has 44 diag (1) 9	conals, the number of its (2) 10	sides is (3) 11	(4) 12				
12.	$n(A' \cap B')$ is equal to 3	00 provided in $n(X)$ is eq	rual to	300 and $n(A \cap B) = 100$, then				
	(1) 600	(2) 700	(3) 800	(4) 900				
13.	In a college of 300 stu	dents, every student rea	ıds 5 news papers and e	very news paper is read by 60				

(3) exactly 25



(1) at least 30

students. The number of news paper is

(2) at most 20

(4) exactly 28

14. The number of ways of forming different nine digit numbers from the number 223355888 by rearranging its digit so that the odd digits occupy even positions is

 $(1)\ 16$

(2)36

(3)60

(4) 180

15. An anti-aircraft gun can take a maximum of four slots at an enemy plane moving away from it. The probability of hitting the plane at the first, second, third and fourth slots are 0.4, 0.3, 0.2 and 0.1 respectively. The probability that the gun hits the plane then is

 $(1)\ 0.5$

 $(2)\ 0.7235$

 $(3)\ 0.6976$

(4) 1.0

16. The minimum value of px + qy when $xy = r^2$ and p, q, x, y are positive numbers.

(1) $2r\sqrt{pq}$

(4) \sqrt{pqr}

17. If 'a' is a positive integer, then the number of values satisfying

 $\int_{0}^{\pi/2} \left\{ a^{2} \left(\frac{\cos 3x}{4} + \frac{3}{4} \cos x \right) + a \sin x - 20 \cos x \right\} dx \le \frac{-a^{2}}{3} \text{ is}$

(1) only one

(4) four

18. Find $\frac{d}{dx} \left(\sqrt{x} - \frac{5}{\sqrt{x}} \right)$

(1) $\frac{1}{2\sqrt{x}} + \frac{3}{2}x^{-3/2}$ (2) $2x - \frac{5}{2}x^{3/2}$

(3) $2x + \frac{5}{2}x^{-3/2}$

(4) none of these

19. $\lim_{x \to \infty} \sqrt{\frac{(x + \sin x)}{(x - \cos x)}}$ equals to

(3) -1

(4) none of these

20. If $f(x) = \int_{0}^{x} t \sin t dt$, then f'(x) is

 $(1)\cos x + x\sin x \qquad (2)x\sin x$

 $(3) x \cos x$

(4) $x^2/2$

The value of $\sin 30^{\circ} \cos 45^{\circ} + \cos 30^{\circ} \sin 45^{\circ}$

[no correct answer was given in choices, correct answer should be $\frac{\sqrt{3+1}}{2\sqrt{5}}$]

(1) $\frac{1-\sqrt{3}}{2}$ (2) $\frac{1-\sqrt{3}}{2\sqrt{2}}$

(3) $\frac{2}{\sqrt{2}}$

(4) $\frac{\sqrt{3}}{2}$

22. The solution of $\triangle ABC$ given that $B=45^{\circ}$, $C=105^{\circ}$ and $c=\sqrt{2}$ is

(1) $A = 30^{\circ}$, $a = \sqrt{3} - 1$, $b = \sqrt{2}(\sqrt{3} - 1)$ (2) $A = 30^{\circ}$, $a = \sqrt{3} + 1$, $b = \sqrt{2}(\sqrt{3} - 1)$ (3) $A = 30^{\circ}$, $a = 1 - \sqrt{3}$, $b = \sqrt{2}(\sqrt{3} + 1)$ (4) $A = 30^{\circ}$, $a = \sqrt{3} - 1$, $b = \sqrt{2}(\sqrt{3} + 1)$

23. If $\tan \theta = \frac{b}{a}$, then the value of $a \cos 2\theta + b \sin 2\theta$ is

(1) b

(3) $\frac{a}{b}$

(4) $\frac{a}{a+b}$

24. The general solution of $\sqrt{3}\cos x + \sin x = 3$ is:

(1) $2n\pi \pm \frac{\pi}{6}$ (2) $2n\pi \pm \frac{\pi}{3}$

(3) No solution

(4) $n\pi \pm \frac{\pi}{6}$

25	The value of	$1-\tan^2 15^\circ$.
40.	The value of	$1 + \tan^2 15^\circ$	10

(1) 1

(2) $\sqrt{3}$

(3) $\frac{\sqrt{3}}{2}$

(4) 2

26. Evaluate
$$\int_{0}^{1/2} \frac{dx}{\sqrt{x-x^2}}$$

[no correct answer was given in choices, correct answer should be $\pi/2$]

(1) $\frac{1}{2}$

(2) π

(3) π_{3}

 $(4) \pi/4$

If the area bounded by $y = x^2$ and y = x is A sq. units then the area bounded by $y = x^2$ and y = 1 is

(1) 2A + 1 sq. units

(2) 2A sq. units

(3) 2A + 2 sq. units

(4) A + 2 sq. units

If a, b and c are unit coplanar vectors, then the scalar triple product [2a - b, 2b - c, 2c - a] = (1) 0 (2) 1 (3) $-\sqrt{3}$ (4) $\sqrt{3}$ **28.**

29. Let $\vec{a} = x\vec{i} - 3\vec{j} - \vec{k}$ and $\vec{b} = 2x\vec{i} + x\vec{j} - \vec{k}$. Suppose that the angel between \vec{a} and \vec{b} is acute and the angle between \vec{b} and the positive direction of the y-axis lies between $\frac{\pi}{2}$ and π , then the set of all possible values of x is

 $(1) \{1, 2\}$

 $(2) \{-2, -3\}$

(3) $\{x : x < 0\}$

 $(4) \{x : x > 0\}$

30. Let $\vec{v} = 2\vec{i} + \vec{j} - \vec{k}$ and $\vec{w} = \vec{i} + 3\vec{k}$. If \vec{u} is a unit vector, then the maximum value of the scalar triple product $[\vec{u}\vec{v}\vec{w}]$ is

 $(2) - \sqrt{10} - \sqrt{6}$

(3) $\sqrt{59}$

(4) $\sqrt{10} + \sqrt{6}$

31. If 2x + 3y - 6 = 0 and 9x + 6y - 18 = 0 cuts the axes in con cyclic points, then the center of the circle

(1)(2,3)

(2)(3,2)

(3)(5,5)

(4) (5/2, 5/2)

The number of distinct solutions (x, y) of the system of equations $x^2 = y^2$ and $(x - a)^2 + y^2 = 1$ where 'a' is any real number, can only be

(1) 0, 1, 2, 3, 4 or 5

(2) 0, 1 or 3

(3) 0, 1, 2 or 4

(4) 0, 2, 3 or 4

The vertex of parabola $y^2 - 8y + 19 = 0$ is

(2)(4,3)

(3)(1,3)

(4)(3,1)

The eccentricity of ellipse $9x^2 + 5y^2 - 30y = 0$ is

(2) $\frac{2}{2}$

(3) $\frac{3}{4}$

35. If the function $f: [1, \infty) \to [1, \infty)$ is defined by $f(x) = 2^{x(x-1)}$, then $f^{-1}(x)$ is

 $(1)\left(\frac{1}{2}\right)^{x(x-1)}$

(2) $\frac{1}{2} \left\{ 1 + \sqrt{1 + 4 \log_2 x} \right\}$

(3) $\frac{1}{2} \left\{ 1 - \sqrt{1 + 4 \log_2 x} \right\}$

(4) not defined

36. A random variable X has the following probability distribution

\boldsymbol{x}	0	1	2	3	4	5	6	7	8
P(X=x)	a	3a	5a	7a	9a	11 <i>a</i>	13a	15a	17a

Then the value of 'a' is

- (1) 1/81
- (2) 2/82
- (3) 5/81
- (4) 7/81

- **37.** The sum of $11^2 + 12^2 + \dots + 30^2$
 - (1)8070
- (2)9070
- (3)1080
- (4) 9700
- **38.** If A and B are two square matrices such that $B = -A^{-1}BA$, then $(A + B)^2 =$
 - (1) 0

- (2) $A^2 + 2AB + B^2$
- (3) $A^2 + B^2$
- (4) A + B

39. Consider the system of linear equations

$$3x_1 + 7x_2 + x_3 = 2$$

$$x_1 + 2x_2 + x_3 = 3$$

$$2x_1 + 3x_2 + 4x_3 = 13$$

The system has

(1) infinitely many solutions

(2) exactly 3 solutions

(3) a unique solution

- (4) no solution
- **40.** If α , β are the roots of the equation $x^2 2x + 4 = 0$ then the value of $\alpha^6 + \beta^6$ is
 - (1)64
- (2) 128
- (3)256
- (4) 132
- **41.** If θ is the angle between a and b and $|a \times b| = |a.b|$, then θ is equal to:
 - (1) 0

 $(2) \pi$

- (3) $\pi/2$
- $(4) \pi / 4$
- **42.** ABCD is a parallelogram with AC and BD as diagonals. Then $\overrightarrow{AC} \overrightarrow{BD}$ is equal to:
 - (1) $\stackrel{\rightarrow}{4AB}$
- (2) $3\overrightarrow{AB}$
- (3) $2\overrightarrow{AB}$
- (4) \overrightarrow{AB}
- **43.** If $\sin x$, $\cos x$ and $\tan x$ are in *GP*, then the value of $\cot {}^{6}x \cot^{2}x$ is:
 - (1) 2

(2) - 1

- $(3)\ 1$
- $(4)\ 0$
- 44. The greatest angle of the triangle whose three sides are $x^2 + x + 1$, 2x + 1 and $x^2 1$ is
 - $(1)\ 150^{\circ}$
- $(2) 90^{\circ}$
- (3) 135°
- (4) 120°
- **45.** The general value of θ satisfying the equation $2\sin^2\theta 3\sin\theta 2 = 0$ is
 - (1) $n\pi + (-1)^n \frac{\pi}{n}$
- (2) $n\pi + (-1)^n \frac{\pi}{2}$
- (3) $n\pi + (-1)^n \frac{5\pi}{6}$
- (4) $n\pi + (-1)^n \frac{7\pi}{6}$

ANALYTICAL ABILITY AND LOGICAL REASONING

46. Correct the following equations by inter-changing two signs. $3 - 9 \times 27 + 9 \div 3 = 3$

(1) + and -

 $(2) \times and +$

 $(3) \times \text{ and } \div$

 $(4) \times and -$

47. Pushpa is twice as old as Rita was two years ago. If the difference between their ages be 2 years, how old is Pushpa today?

(1) 6 years

(2) 8 years

(3) 10 years

(4) 12 years

48. A clock is set right at 8 a.m. The clock gains 10 minutes in 24 Hrs. What will be the right time when the clock indicates 1 p.m. on the following day?


(1) 11.40p.m.

(2) 12.48 p.m.

(c) 12 noon

(4) 10p.m

49. Choose the best answer figure to substitute element 4 in die problem figures so that element 3 is related to element 4 in the same way as element 1 is related to element 2.



Directions for questions Q. 50: In the following question three statements are followed by a conclusion. Study the statements and the conclusion and point out which statement studied together will bring to the conclusion.

- **50.** Statements:
 - i) Price rise is a natural phenomenon
 - ii) If production increases prices fall
 - iii) High prices affect the poor

Conclusion: If production rises the poor feel relieved. Answer choices:

- (1) Only i and ii
- (2) Only i and iii
- (3) Only ii and iii
- (4) Data Insufficient
- **51.** In how many different ways can the letters of the word "DETAIL" be arranged in such a way that the vowels occupy only the odd positions?

(1) 32

(2) 36

(3)48

(4) 60

52. If from 4 co 55 me number which are divisible by 3 and the numbers which contain 3 as one of the digits, are removed, then how many numbers will be left?

(1) 24

(2) 23

(3) 22

(4) 25

53. In the following number-series, one term is wrong. Which term is wrong?

5, 12, 19, 33, 47, 75, 104

(1) 33

(2) 47

(3)75

 $(4)\ 104$

54. The position of A in a class is 5th from the top and position of B is 7th from the bottom. If C is at 6th place after A and 6th place before B, how many students are there in the class?

(1)25

(2) 23

(3) 21

(4) 22

55. Suppose $X = 2^{100}$, $Y = 3^{100}$ and $Z = 4^{100}$, exactly one of the following is true. Which is it?

(1) X + Y = Z

(2) X + Y < Z

(3) X + Y > Z

(4) XY = Z

Directions for questions 56-59: Study the following information to answer the given questions;

- i) In a family of 6 persons, there are two couples
- ii) The lawyer is the head of the family and has only two sons-Mukesh and Rakesh both teachers,
- iii) Mrs, Reena and her mother-in-law both are lawyers.
- iv) Mukesh's wife is a doctor and they have a son, Ajay.
- **56.** What is the profession of Rakesh's wife?
 - (1) Teacher
- (2) Doctor
- (3) Lawyer
- (4) None of these

- **57.** How many male members are there in the family?
 - (1) Two
- (2) Three
- (3) Four
- (4) None of these

- 58. What is/was Ajay's grandfather's occupation?
 - (1) Teacher
- (2) Lawyer
- (3) Doctor
- (4) cannot be determined

- **59.** What is the profession of Ajay?
 - (1) Teacher
- (2) Lawyer
- (3) Doctor
- (4) Cannot be determined

Directions for question 60: In the following question below are given two statements followed by four conclusions numbered I, II, III, IV. You have to take the two given statements to be true even if they seem to be at variance from commonly known facts. Read all the conclusions and then decide which of the given conclusions logically follows from the two given statements, disregarding commonly known facts.

- **60.** Statements:
 - (A) Some green are blue

Conclusions

- (I) Some blue are green
- (III) Some green are not white
- (1) Only I follows
- (3) Only I and III follows

- (B) No blue is white
- II) Some white are green
- IV) All white are green
- (2) Only II and III follows
- (4) Only I and II follows

Directions for questions 61-63: Read the information given below and answer the questions that follow:

Four persons A, B, C and D play a cards game. They put Rs. 500 as stake money. When the game is over 'C' receives Rs. 19 more that 'D' and 'B' receives Rs. 21 less than 'A' whose amount was Rs. 2 less than the guarter of Rs. 500

- **61.** How much money did 'C' gel?
 - (1) Rs. 147
- (2) Rs. 136
- (3) Rs. 144
- (4) Rs. 159

- **62.** How much money did 'B' get?
 - (1) Rs. 102
- (2) Rs. 107
- (3) Rs, 108
- (4) Rs. 110.


- 63. Who get highest amount?
 - (1) A

(2) B

- (3) C
- (4) D



Directions for questions 64-66: In The following diagram circle stands for 'educated', square for 'hardworking', triangle for 'urban people', and rectangle for 'honest'. Different regions in the diagram arc numbered from 2 to 12. Study the diagram carefully and answer.



64. Educated, hard-working and urban people are indicated by

(1) 7

(2) 2

(3) 3

(d) 4

65. Non-urban educated people who are neither hardworking nor honest are indicated by

(1) 5

(2) 7

(3) 10

(4) 12

66. Honest, educated and hardworking non urban people are indicated by

(1) 3

(2) 4

(3) (

(4) 9

67. Five persons A, B, C, D and E were travelling in a car. There were two ladies in the group. Two knew car driving, of them one was a lady. A is brother of D. B, wife of D drove at the beginning. E drove at the end. Who was the other lady in the group?

(1) D

(2) B

(3) C

(4) E

68. Choose which pair of numbers carries next in the following sequence:

61, 57, 50, 61, 43, 36, 61

(1) 29, 61

(2) 27, 20

(3) 31, 61

(4) 29, 22

Directions for questions 69-71: In each of the 3 questions below, are given four statements followed by four conclusions numbered I, II, III, IV. You have to take the given statements to be true if they seem to be at variance from commonly known facts. Read all the conclusions and then decide which of the given conclusions logically follows from the given statements disregarding commonly known facts.

69. Statements: Some doctors are lawyers. All teachers are lawyers. Some engineers are lawyers. All engineers are businessman.

Conclusions:

(I) Some teachers are doctors.

II) Some businessmen are lawyers.

(III) Some businessmen are teachers.

(IV) Some lawyers are teachers

(1) none follows

(2) only II follows

(3) Only III follows

(4) Only Ii and IV follow

70. Statements: All plastics arc glasses. Some sponges are glasses. All sponges are clothes. All clothes are liquids.

Conclusions:

(I) All liquids are sponges.

II) Some plastics arc clothes.

(III) All glasses are plastics.

IV) All liquids are clothes,

(1) None follows

(2) only either II or IV follows

(3) only III and TV follow

(4) only I and IV follow

71. Statements: All sands are beaches, All shores are beaches. Some beaches are trees. All trees are hotels.



	Conclusions: I) Some shores are hot III) Some beaches are		II) All beaches are shores. IV) Some sands are trees				
	(I) only III follows	(2) only II follows	(3) only IV follows	(4) none of these			
72.	In a certain code, RI written in that code?	PPLE is written as 613	3382 and LIFE is writ	ten as 8192. How is FILLER			
	(1) 918826	(2) 318286	(3) 618826	(4) 328816			
73.	I have already gone t	=	s ago and next time I	sidence after every 3:30 hours. shall go at 1.40 pm". At what			
74	Mr. X left his entire estate to his wife, his daughter, his son and the cook. His daughter and son a half the estate, sharing in the ratio of 4 to 3. His wife got twice as much as the son. If the coreceived a bequest of 500, then the entire estate was						
	(1) 3,500	(2) 5,500	(3) 6,500	(4) 7,000			
75.	One boy dances with	Sup of girls and boys exclusion of girls. Second boy dark then number of boys and (2) $b = g/5$	nces with 6 girls, and s	so on last boy dances with all			
76.		asband and wife was 22 age of the family if they (2) 25 Years		married five years back. What child? (4) 281/2 Years			
77.	(1) Opinion of large nu	actice over a long period ervable evidences	/ 0				
one- brea	day conference. Three k whereas the other	of them will present th	hei <mark>r p</mark> apers in the mor I in the afternoon sess	to present at paper each at a ning session before the lunch sion. The lectures have to be			
		immediately before C's be either the first or the	-	sentations cannot be separated at his paper.			
78.	In case C is to be the f (1) first	ifth scientist to present (2) second	his paper, men B must (3) third	be (4) fourth			
79.	B could be placed for a (1) second	any of the following place (2) third	es in the order of presen (3) fourth	nters EXCEPT (4) fifth			
80.							
81.	. ,	e fifth and sixth present	` ,	which of the folio wing must be			
	(3) A is fourth in the o	_	(3) B is first in the orde	-			
82.	Assume that the follow I. All freshmen are hu	wing three statements a man	rc true:				



II. All students are human

III. Some students think

Given the following four statements:

- (1) All freshmen are students
- (2) Some humans think.

(3) No freshmen think

(4) Some humans who think are not students

Those which are logical consequences of 1, II and III are

(1) 2

(2) 4

- (3) 2, 3
- (4) 1, 2

Directions for questions 83-85: Mrs. Thomes received a large order for stitching school uniforms from Mayflower school and Little flower school. She has two cutters who will cut the fabric, five tailors who will do the stitching and two assistants to stitch the buttons and button holes. Each of these nine persons will work for exactly 10 hours a day. Each of the Mayflower uniforms requires 20 min for cutting the fabric, one hour for stitching, and 15 min for stitching buttons and button holes, whereas the Little flower uniform require 30min, 1 hour and 30 min respectively for these activities.

- 83. What is the number of Little flower uniforms that Mrs. Thomes can complete in a day?
 - (1) 50
- (2) 20

(3) 40

- (4) 30
- 84. On a particular day, Mrs. Thomes decided to complete 20 Little flower uniforms. How many Mayflower uniforms can she complete on that day?
 - $(1)\ 30$
- (2) 40

 $(3)\ 20$

- (4) 0
- **85.** If she hires one more assistant, what is the maximum number of May flower uniforms that she can complete in a day?
 - (1) 40
- (2) 50

(3)60

 $(4)\ 30$



COMPUTER AWARENESS

86. Consider x and y be some Boolean variables, + denotes the OR operation and "." denotes the AND operation. What will be the simplified form of the Boolean expression: x. (x + y)?

(1) y

(2) 1

(3) 0

(4) x

87. Which one of the following is not a valid rule of Boolean algebra?

(1) A + 1 = 1

(2) A = A'

(3) AA = A

(4) A + 0 = A

88. When two binary numbers are added, then an overflow will never occur if

(1) Both numbers of same sign

- (2) The carry into the sign bit position and out of sign bit position are not equal
- (3) The carry into the sign bit position and out of sign bit position are equal
- (4) The carry into the sign bit position is 1
- **90.** The sum of 11010 + 01111 equals

(1) 101001

(2) 101010

(3) 110101

(4) 101000

90. Which protocol needs to be installed for Internet access on a network?

(1) TCP/IP

(2) TELNET

(3) IPX/SPX

(4) Net BEUI

91. A petabyte represents approximately


(1) 1000 gigabytes

(2) 1000 kilobytes

(3) 1000 terabytes

(4) 1000 yottabytes

- **92.** The least significant bit of the binary number, which is equivalent to any odd decimal number is (1) 0 (2) 1 (3) 1 or 0 (4) All of the above
- **93.** Which of the following Boolean expression represents the shaded portion of the Venn diagram? Note: Here "." represents an AND operation and "+"denotes an OR operation.



(1) Z' + (X.Y)

(2) Z. (X + Y)

(3) (Z.X') + Y

(4) Z'.(X + Y)

94. The ASCII code of 'A' is

(1) 66D

(2) 41H

(3) 01000010

(4) 01100011

95. An eight bit byte is capable of representing how many different characters?

(1)64

(2)128

(3)256

(4) 512

GENERAL ENGLISH

Answer following four questions based on the given paragraph:

A recent experimental study showed for the first time that pulmonary exposure to the Particulate Matter (PM) within diesel exhaust enhances atherogenesis. The human blood vessel endothelium is a sensitive target for air pollutants. The interactions of the inflammation and coagulation systems are of the main mechanisms involved in impairment of endothelial function and eventually cardiovascular diseases. The effect of air pollution on inflammation, oxidative stress and cardiovascular risk factors has been demonstrated not only in older adults, but also in young adults as well as in children and adolescents. The inflammation process stimulates the coagulation system and result in increased secretion of Tissue Factor (TF). Endothelial function has key roles in anticoagulant and fibrinolytic systems. In vitro studies have demonstrated significant decrease in endogenous anticoagulation activity, Thrombo Modulin (TM), endothelial protein C receptor antigen and culture of endothelial cells during the inflammation process. A growing body of evidence suggests that the effects of air pollution on the inflammation and the coagulation systems may have a role in endothelial dysfunction and in turn in the progression of cardiovascular diseases. Findings of experimental studies suggest that exposure to air pollution may result in increase in TF and decrease in TM. Atherogenesis starts from the fetal life through interrelations of traditional risk factors with inflammatory, immune and endothelial biomarkers. Air pollution has various harmful effects on this process from early life. Studying the effects of environmental factors on early stages of atherosclerosis in early life can help identify the underlying mechanisms.

96.	Choose the option	for the human sys	tem mechanisms	whose interactions:	eventually result into
	cardiovascular disea	ases due to air poll	ution?		
	(1) inflammation	(2) Coagulation	(3) Antigo	(1) Rot	th (1) and (2)

- **97.** Which is the central syndrome talked about in the paragraph?
 - (1) Inflammation

(2) Atherogenesis

(3) Secretions of tissue factors

(4) Thrombo Modulin

- **98.** Which of the following is true?
 - i) Exposure to air pollution may result in increase in TF and decrease in TM
 - ii) Effect of air pollution is severe on humans and occurs after adolescence
 - iii) Endothelial cells arc sensitive target for air pollutants
 - (1) All are true

(2) Only (i) and (ii) are true

(3) Only (i) and (iii) are true

- (4) Only (ii) and (iii) are true
- 99. The primary cause of cardiovascular disease due to factors discussed in paragraph is
 - (1) Lack of immunity

(2) Anticoagulation

(3) Thrombomodulin

(4) Endothelial Dysfunction

100. RETROGRADE

(1) progressing

(2) reclining

(3) evaluating

(4) directing

Directions for questions 101-105: For each numbered blank space in the paragraph given below, choose the correct response.

Paragraph

Books are 101 the most 102 product of human effort. Temples 103 to ruin, pictures and statues 104; but books 105.

101. Answer choices

(1) decidedly

(2) definitely

(3) by far

(4) certainly

102. Answer choices

(1) lasting

(2) everlasting

(3) temporary

(4) permanent



103.	Answer choices (1) break down	(2) fall	(3) broken	(4) crumble
104.	Answer choices (1) die	(2) decay	(3) fade	(4) disappear
105.	Answer choices (1) live	(2) survive	(3) last	(4) disappear
106.	Profound [directions for this que	estion is missing]		
	(1) Shallow	(2) Sonorous	(3) Superficial	(4) Lofty
107 .	Give the analogy for E (1) Elastic: Stretch (3) Sensible: Decide	CLSUSIVE : CAPTURE :	(2) Headstrong: Contro (4) Persuasive: Convinc	
108.	The meaning of word I (1) Entrance	EGRESS is (2) Exit	(3) Double	(4) Program
109.	Choose the wrongly sp (1) Deficient	oelt word (2) Efficient	(3) Magnificent	(4) Reticent
110.	I have been working h (1) since	ere six months. (2) by	(3) for	(4) in
111.	Defile (1) Pollute	(2) Disapprove	(3) Delay	(4) Reveal
follo	_	_		ord printed in capital letters, ost similar in meaning to die
112.	POLEMIC (1) black	(2) magnetic	(3) grimace	(4) controversial
113.	The synonym for word (1) Erudite	FOOLHARDY is (2) Unwise	(3) Rusty	(4) Roll
114.	Deep (1) low A	(2) distracted	(3) flat	(4) awake
115.	Give the antonym for (1) Futile	CRYPTIC (2) Candid	(3) Famous	(4) Indifferent
116.	The people	you socialize (2) who	are called friends. (3) with who	(4) whom
117.	Every one of them	(2) Listening to the	music every day (3) Listens	(4) None of these
118.	I didn't work hard who (1) in	en I was (2) on	school. (3) at	(4) by
119.	Where are you(1) from	? (2) by	(3) of	(4) to
120 .	Which of these is an ac (1) Hard	djective in "It is (2) Hardly	" (3) Hardship	(4) Harden



ANSWER KEY (NIMCET 2011)

1.	(3)	21.	(*)	41.	(4)	61.	(1)	81.	(3)	101.	(1)
2.	(2)	22.	(1)	42.	(3)	62.	(1)	82.	(1)	102.	(1)
3.	(1)	23.	(2)	43.	(3)	63.	(3)	83.	(3)	103.	(4)
4.	(3)	24.	(3)	44.	(4)	64.	(2)	84.	(1)	104.	(2)
5.	(3)	25 .	(3)	45.	(4)	65.	(2)	85.	(2)	105.	(3)
6.	(1)	26.	(*)	46.	(4)	66.	(4)	86.	(4)	106.	(*)
7.	(2)	27.	(1)	47.	(2)	67.	(3)	87.	(2)	107.	(2)
8.	(2)	28.	(1)	48.	(2)	68.	(4)	88.	0	108.	(2)
9.	(3)	29.	(3)	49.	(2)	69.	(4)	89.	(1)	109.	(3)
10.	(2)	30.	(3)	50.	(3)	70.	(1)	90.	(1)	110.	(3)
11.	(3)	31.	(*)	51.	(2)	71.	(1)	91.	(3)	111.	(1)
12.	(2)	32.	(4)	52.	(4)	72 .	(1)	92.	(2)	112.	(3)
13.	(3)	33.	(1)	53.	(4)	73.	(2)	93.	(2)	113.	(2)
14.	(3)	34.	(2)	54.	(2)	74.	(4)	94.	(3)	114.	(1)
15.	(3)	35.	(2)	55.	(2)	75.	(3)	95.	(3)	115.	(2)
16.	(1)	36.	(1)	56.	(3)	76.	(1)	96.	(4)	116.	(1)
17.	(4)	37 .	(2)	57 .	(2)	77.	(3)	97.	(2)	117.	(3)
18.	(4)	38.	(3)	58.	(4)	78.	(4)	98.	(3)	118.	(3)
19.	(2)	39.	(1)	59.	(4)	7 9.	(2)	99.	(4)	119.	(1)
20.	(2)	40.	(2)	60.	(3)	80.	(4)	100.	(1)	120.	(1)

^{*} Represents questions with error



